



Integrating Food Technology and Chemistry for Sustainable Fortification and Functional Food Development

Zidane Rakha Aptabani

Chemistry Education, Faculty of Mathematics and Natural Sciences of State University of Surabaya, Indonesia

Correspondence author: zidanerakha9@gmail.com

Abstract

The growing demand for sustainable, nutritious, and health-promoting food has accelerated the integration of food chemistry and food technology in fortification and functional food development. This study presents a conceptual synthesis that explores how chemical mechanisms and technological processes can be harmonized to enhance nutrient bioavailability, product stability, and environmental sustainability. Relying on secondary data from peer-reviewed studies published between 2015 and 2025, the research identifies key intersections between molecular food chemistry, process optimization, and green food engineering. The analysis reveals that food chemistry provides the molecular foundation for understanding reactions such as oxidation, Maillard transformation, and enzymatic modification, which determine nutrient retention and sensory quality. Food technology operationalizes these reactions through controlled processing techniques such as microencapsulation, fermentation, and extrusion that preserve bioactive compounds and enable targeted nutrient delivery. Furthermore, the adoption of green chemistry principles, including the use of natural antioxidants, solvent replacement, and low-energy processing, supports the environmental dimension of sustainable production. The resulting conceptual framework, termed the Chemistry Technology Sustainability Nexus, demonstrates that integrating molecular precision with technological innovation can yield fortified and functional foods that are both nutritionally effective and ecologically responsible. This study contributes to the theoretical understanding of sustainable food design, emphasizing that future food systems must align chemical integrity, technological efficiency, and environmental stewardship to achieve long-term global food security.

Keywords: food chemistry; food technology; fortification; functional foods; green processing; sustainability; bioavailability.

1. Introduction

Global food systems are undergoing a profound transformation as the world seeks to balance nutrition, safety, and sustainability in the face of population growth and environmental constraints. Traditional approaches to food production and processing, though effective in increasing yield and shelf life, are often limited in their ability to preserve nutrients and maintain chemical stability throughout the supply chain. In recent years, the integration of food technology and food chemistry has emerged as a promising pathway to design and manufacture food products that are not only safe and durable but also nutritionally enhanced and functionally active [1]. This interdisciplinary convergence represents a new frontier in sustainable food science where molecular understanding of chemical reactions informs the engineering of processing methods that protect, transform, and optimize nutrients [2].

Food chemistry, as a discipline, provides the molecular foundation for understanding how

physical, enzymatic, and chemical transformations occur in food components during processing and storage. Reactions such as oxidation, Maillard browning, hydrolysis, and isomerization dictate the nutritional, sensory, and safety attributes of food. Food technology, on the other hand, applies these chemical insights through controlled processing systems including preservation, fermentation, fortification, extraction, and modification to achieve specific outcomes such as nutrient stability, microbial safety, or enhanced flavor [3]. The synergy between these two domains allows the development of functional foods, which are not only sources of energy but also vehicles of health-promoting bioactive compounds such as polyphenols, omega-3 fatty acids, and probiotics.

The global demand for functional foods is accelerating. Consumers increasingly seek products that provide physiological benefits beyond basic nutrition such as antioxidant activity, immune support, or gut health regulation. However, producing such foods sustainably requires careful attention to the chemical integrity and bioavailability of nutrients during industrial processing [4]. Many bioactive compounds such as vitamins, carotenoids, and flavonoids are highly sensitive to heat, light, and oxygen. Improper processing can cause oxidation, degradation, or polymerization, which reduces their biological effectiveness. Therefore, achieving nutritional and functional stability depends on understanding how chemical mechanisms can be guided through technology to minimize loss and enhance controlled release [5].

Recent advances in green chemistry and food engineering offer solutions to this challenge. For instance, the use of microencapsulation techniques allows the protection of unstable compounds like vitamin C, probiotics, and polyunsaturated fatty acids by enclosing them in biopolymer matrices [6]. From a chemical perspective, encapsulation stabilizes reactive molecules by reducing their exposure to oxygen and moisture, effectively preventing oxidative and hydrolytic degradation. Similarly, enzymatic modification of proteins and polysaccharides alters molecular structures to improve solubility, emulsification, and digestibility properties critical for fortification and functional food applications. These chemical technological synergies demonstrate that sustainable food design is not simply a matter of replacing ingredients but of re-engineering molecular interactions within the food matrix [7].

Another important intersection of chemistry and technology is in fortification, the process of deliberately increasing the content of essential micronutrients in food to improve public health outcomes. Iron, zinc, vitamin A, and folic acid fortification programs have historically relied on inorganic or synthetic compounds with limited bioavailability [8]. Through chemical innovation, however, fortification strategies can now incorporate chelated minerals, nanoemulsions, and lipid-based carriers that mimic natural absorption pathways in the human body. Food technology enables the industrial-scale application of these compounds through precision mixing, extrusion, and thermal control, ensuring both uniformity and stability. These developments align with the World Health Organization's call for more bioavailable, sustainable, and culturally adaptable fortification strategies [9].

The sustainability dimension of this integration cannot be overstated. Food processing traditionally involves energy-intensive operations, chemical preservatives, and packaging waste, all of which contribute to environmental degradation. The principles of green food chemistry use renewable materials, natural antioxidants, and low-energy processing aim to minimize these impacts [10]. For example, replacing synthetic stabilizers with natural extracts rich in phenolic compounds (from rosemary, green tea, or grape seeds) provides dual benefits: extending shelf life and improving antioxidant capacity. Similarly, supercritical fluid extraction and cold plasma treatments enable the recovery of valuable nutrients without generating chemical residues. These approaches embody the circular economic ethos within food technology, where waste streams are revalorized and energy use is minimized [11].

The integration of chemistry and technology also supports traceability and quality assurance through advanced analytical tools. Techniques such as Fourier Transform Infrared Spectroscopy (FTIR), Mass Spectrometry (MS), and High-Performance Liquid Chromatography (HPLC) allow precise identification of chemical changes during processing, ensuring that nutrient fortification and bioactive stability are achieved as intended [12]. This chemical monitoring complements process engineering controls, forming a closed-loop feedback system that improves reproducibility



and safety in sustainable food production.

From a sustainability perspective, this interdisciplinary collaboration contributes directly to several of the United Nations Sustainable Development Goals (SDGs) [13]:

- SDG 2 (Zero Hunger): through nutrient-dense food fortification and bioavailability enhancement.
- SDG 3 (Good Health and Well-Being): via development of functional foods that promote disease prevention.
- SDG 12 (Responsible Consumption and Production): by applying green chemistry and waste-minimizing technologies in food processing.

As food systems become increasingly globalized, the challenge is to maintain chemical control and sustainability across diverse raw materials, climates, and production scales [14]. The integration of food chemistry and technology offers a scientific roadmap for achieving this transforming food from a passive commodity into an engineered system of health, resilience, and environmental balance [15].

In summary, the intersection between food technology and chemistry represents not only a technological convergence but also a philosophical shift in how food is conceptualized and produced. The future of sustainable food systems will depend on our ability to understand the molecular behavior of nutrients, design processes that respect their stability, and apply chemical innovation to fortification and functional food development. This study, therefore, aims to outline the mechanisms and principles through which chemical processes and technological interventions can jointly enable a new generation of safe, nutritious, and sustainable food products.

2. Methods

2.1 Data Source

This study is based entirely on secondary data drawn from published literature in the fields of food chemistry and food technology, particularly those focusing on fortification, nutrient stability, and sustainable food processing. The data sources consist of peer-reviewed journal articles and systematic reviews published between 2015 and 2025. Key references include [16], [17]:

- define and systematize food-to-food fortification as a locally adaptable approach to improve nutrition through endogenous food matrices (Comprehensive Reviews in Food Science and Food Safety).
- analyze both conventional and food-to-food fortification techniques and discuss their implications for nutrient stability and consumer acceptance (Frontiers in Nutrition).
- evaluate global fortification strategies and highlight the technological and chemical challenges associated with nutrient bioavailability (Nutrients).
- reviews the evolution of global fortification programs, focusing on the trade-off between cost, stability, and nutrient delivery efficiency (MDPI Nutrients).
- explore the chemical and structural factors that influence bioaccessibility and bioavailability in biofortified food systems (Critical Reviews in Food Science and Nutrition).

Together, these sources form an empirical and theoretical basis for analyzing how chemical mechanisms interact with technological interventions to produce functional and sustainable food products.

2.2 Analytical Framework

The analytical framework follows a qualitative conceptual synthesis approach, integrating chemical and technological dimensions of food processing into a unified perspective. The process involves three major steps [18]:

- Identification of Key Chemical and Technological Themes

Relevant studies were examined to identify recurring concepts related to nutrient transformation,



stabilization, and bioavailability. These include chemical mechanisms such as oxidation, Maillard reactions, enzymatic modification, and encapsulation, alongside processing technologies such as fermentation, fortification, and extrusion. Each theme was reviewed for its role in maintaining nutrient integrity and enhancing functional properties during processing.

- **Mapping Relationships Between Chemistry, Technology, and Sustainability**

The second stage involved mapping the relationships between chemical reactions, technological processing, and sustainability outcomes. This mapping clarifies how specific chemical interventions such as the use of antioxidants or nano-encapsulation can be applied through food technology to improve nutrient stability while reducing energy consumption and environmental impact. The analysis also emphasizes that sustainable fortification requires chemical precision and process optimization that are consistent with the principles of green chemistry.

(3) Framework Development

Finally, insights from these studies were synthesized into a conceptual model that illustrates the continuum from chemical control and modification, through technological processing and fortification, to functional food production and sustainable consumption [19]. This model provides a structural understanding of how food chemistry informs process engineering decisions, and how both jointly determine the nutritional, functional, and ecological quality of food products.

2.3 Limitations

This research is conceptual and literature-based, relying exclusively on published secondary data. No laboratory experiments or field validations were conducted. Consequently, while the analytical framework offers a theoretically sound integration of chemistry and technology, its practical application requires further empirical verification. Moreover, the existing literature tends to reflect data and industrial practices from developed economies; therefore, adaptation to local contexts such as tropical agricultural systems should be explored in future studies.

3. Results and Proposed Model

3.1 Integration of Chemical and Technological Dimensions in Food Fortification

The synthesis of the reviewed literature reveals that the effectiveness of food fortification depends primarily on the interaction between chemical mechanisms and technological control during processing. From a chemical perspective, nutrient stability is governed by oxidation-reduction balance, water activity, pH, and the molecular interactions among macro- and micronutrients. From a technological standpoint, processing variables such as temperature, pressure, shear rate, and exposure to light determine the extent to which these reactions occur.

When these two dimensions are aligned, fortification efficiency and nutritional retention increase significantly. For example, Kruger et al. (2020) demonstrated that food-to-food fortification, the practice of enriching one food matrix with another naturally nutrient-rich ingredient can maintain nutrient bioavailability when the chemical compatibility of both matrices is preserved. Similarly, Kaur et al. (2022) reported that precise temperature and pH control during processing minimizes the degradation of sensitive vitamins such as ascorbic acid and thiamine.

This result underscores a key principle: the success of fortification lies not only in the choice of fortificant compounds but in the control of their chemical environment throughout processing. The alignment between food chemistry and process technology allows the development of fortified products that are both stable during storage and effective upon consumption.

3.2 Chemical Pathways and Functional Food Development

The integration between food chemistry and technology has also advanced the creation of functional food products designed to deliver specific health benefits beyond basic nutrition.



Chemical pathways play a central role in determining how bioactive compounds are formed, stabilized, and released within these foods.

The Maillard reaction, for instance, while often associated with browning and flavor formation, can also generate antioxidant peptides when properly controlled. Similarly, enzymatic hydrolysis can modify the molecular structure of proteins and polysaccharides to enhance digestibility and bioavailability. Studies reviewed by Huey et al. (2024) indicate that such biochemical tailoring of the food matrix enhances the physiological accessibility of key nutrients, such as iron, zinc, and polyphenols.

Technological interventions such as microencapsulation, nanoemulsion, and cold plasma treatment are particularly effective in stabilizing these chemically sensitive bioactive compounds. By physically protecting molecules from oxidation or hydrolysis, these technologies extend the shelf life and preserve the functional potency of nutrients. The integration of these chemical and technological mechanisms thus transforms food production from mere preservation toward molecular-level engineering that enhances both nutritional quality and product performance.

3.3 The Role of Green Chemistry in Sustainable Food Processing

Another major finding of this synthesis is that sustainability in food processing can be achieved by applying green chemistry principles minimizing waste, energy use, and harmful chemical residues. The literature indicates that traditional processing often relies on synthetic stabilizers and solvents, which may compromise environmental and consumer health. The application of natural antioxidants (such as rosemary extract, catechins, or tocopherols), biodegradable materials, and mild processing technologies offer an effective alternative.

Chadare et al. (2019) reported that replacing conventional heat sterilization with enzymatic bioconversion techniques can achieve microbial safety without destroying nutrient integrity. Likewise, supercritical fluid extraction, which uses carbon dioxide under high pressure, has proven to be a clean and efficient method for recovering functional compounds from plant materials without generating toxic byproducts. These findings affirm that chemical innovation guided by sustainability principles is essential for the future of food technology.

Moreover, the integration of green chemistry reduces energy intensity and carbon footprint across the food supply chain. The shift from solvent-based extraction to water- or ethanol-based systems, coupled with waste valorization (turning byproducts into nutritional additives), demonstrates how sustainability and efficiency can reinforce each other rather than compete.

3.4 Conceptual Outcome: The Chemistry Technology Sustainability Nexus

The overall conceptual result of this study is the identification of a Chemistry–Technology–Sustainability Nexus (CTSN) a framework illustrating how molecular control, technological intervention, and environmental responsibility can function as interdependent drivers of food innovation.

- **Chemical Control:** Understanding and manipulating molecular interactions such as oxidation, encapsulation, and enzymatic modification to protect nutrients.
- **Technological Intervention:** Applying processing technologies (e.g., extrusion, fermentation, microencapsulation) that regulate these chemical pathways for optimal nutrient stability and sensory quality.
- **Sustainability Integration:** Implementing green chemistry, renewable energy, and waste reduction strategies to ensure that innovation supports environmental and public health objectives.

This nexus demonstrates that the development of fortified and functional foods cannot be viewed in isolation from their chemical and ecological contexts. The alignment among these three domains defines the frontier of sustainable food science.






Figure 1 Chemistry Technology Sustainability Nexus in Functional Food Development

Figure 1 visualizes the conceptual integration among food chemistry, food technology, and sustainability as a dynamic system driving modern functional-food innovation. At first node, Food Chemistry represents the molecular foundation of product design. It includes the control of oxidation–reduction reactions, enzymatic modification, and encapsulation mechanisms that determine nutrient stability and bioavailability. Chemical understanding provides the knowledge of how compounds behave under different thermal, pH, and mechanical conditions during processing. The second node, Food Technology, translates this chemical knowledge into industrial practice. Techniques such as microencapsulation, fermentation, extrusion, and controlled heating are used to preserve functional molecules, create desirable textures, and achieve safe, long-lasting products. This technological dimension ensures that chemical mechanisms are harnessed efficiently and reproducibly at production scale. The third node, Sustainability, anchors both chemistry and technology within an ecological and ethical framework. Green-chemistry principles such as solvent substitution, waste minimization, and energy efficiency guide the transformation of laboratory innovation into environmentally responsible operations.

Where these three domains intersect lies the core of the framework: the functional and sustainable food system. This intersection signifies the state where molecular precision, technological optimization, and ecological stewardship converge, resulting in fortified, nutritious foods that are stable, accessible, and aligned with the principles of sustainable production and consumption. In essence, the diagram illustrates that progress in sustainable food development depends on maintaining equilibrium among chemical integrity, technological performance, and environmental responsibility each reinforcing the other in a continuous innovation cycle.

3.5 Practical Implications

The conceptual synthesis indicates several practical implications for food researchers and industry stakeholders:

- **Product Design:** Chemical insights should guide formulation decisions to ensure compatibility between fortificant compounds and the food matrix.
- **Process Optimization:** Technological processes must be calibrated to minimize chemical degradation while maximizing nutrient retention.
- **Sustainability Metrics:** Production systems should incorporate measurable indicators of green processing, such as energy efficiency, solvent recovery, and reduced carbon emissions.
- **Education and Training:** The integration of chemistry and technology calls for multidisciplinary skill development in food science curricula, enabling future scientists to manage molecular-level processes with environmental awareness.

Collectively, these findings emphasize that sustainable food innovation depends not only on



technical advancement but also on a fundamental understanding of the chemistry that underpins the life cycle of food products.

4. Discussion

The integration of food chemistry and technology for sustainable fortification represents more than a technical convergence it marks a paradigm shift in how food systems are conceptualized, produced, and evaluated. The findings from the conceptual synthesis indicate that the most resilient and nutritionally effective food systems are those that operate with an understanding of both molecular precision and ecological accountability. Chemical processes no longer serve merely as background reactions within food production; they are now central levers for designing stability, functionality, and sustainability into every stage of the value chain [20].

At the molecular level, food chemistry defines the behavior of nutrients, bioactive compounds, and their interactions with the food matrix. When technological processes such as extrusion, fermentation, or encapsulation are applied with knowledge of these molecular dynamics, they transform from simple preservation tools into active mechanisms for nutrient optimization and controlled release. This interplay exemplifies the shift from traditional preservation to molecular food engineering. For instance, studies on protein hydrolysates and lipid oxidation demonstrate that even minor changes in pH, enzymatic treatment, or processing temperature can dramatically alter antioxidant capacity and digestibility. These examples underscore the necessity for chemistry-driven process calibration to achieve consistent nutritional outcomes. [21]

From a technological standpoint, the rise of precision processing and automation strengthens the reliability of chemical control during production. Technologies such as cold plasma treatment, nanoemulsion formation, and high-pressure processing have emerged as scalable methods for preserving molecular integrity while reducing reliance on synthetic additives. This aligns with green chemistry principles by lowering energy consumption and minimizing waste. The outcome is not only a more efficient production process but also a food product that maintains higher functional quality with a lower environmental footprint [22].

Equally significant is the growing importance of sustainability metrics in evaluating food innovation. Traditional food fortification programs focused primarily on addressing nutrient deficiencies. However, the current global agenda guided by the Sustainable Development Goals (SDGs) demands that nutritional enhancement also aligns with environmental stewardship and social inclusion. The integration of green chemistry, waste valorization, and renewable-energy-based food processing demonstrates that fortification can be both nutritionally impactful and ecologically sound. For example, valorizing agricultural by-products such as fruit peels or cereal bran into antioxidant-rich fortificants exemplifies how circular economy practices can merge with chemical and technological innovation [22].

Another dimension of discussion concerns the scalability and adaptability of this chemistry technology sustainability nexus across diverse food systems. Most published studies originate from industrialized economies with advanced processing infrastructure. Yet, the same principles can be localized for developing and tropical regions by leveraging indigenous resources and appropriate technology. The food-to-food fortification approach, for example, combines locally available, nutrient-dense foods such as moringa, banana, or seaweed with staple crops. Through targeted enzymatic or thermal processing, these ingredients can be transformed into stable, fortified products that enhance nutrition while maintaining cultural acceptance and affordability. Such approaches are particularly relevant to archipelagic nations like Indonesia, where supply chain decentralization demands robust, small-scale technologies integrated with local chemistry-based solutions [23].

The conceptual model also provides insight into policy and educational implications. Governments and regulatory agencies play a crucial role in fostering chemistry technology integration through clear standards for food fortification, environmental safety, and quality control. Policies promoting renewable resources, clean production, and circular utilization of by-products can accelerate the transition toward green food industries. Equally important, academic



institutions must redesign food science curricula to blend molecular chemistry, engineering, and sustainability, preparing the next generation of scientists to work across disciplinary boundaries. Without such institutional alignment, the full potential of this integrated approach will remain unrealized [19].

In addition, the nexus between chemistry, technology, and sustainability reframes consumer perception and market positioning. Functional and fortified foods, when produced through transparent and eco-efficient processes, gain both nutritional legitimacy and consumer trust. Chemical traceability enabled through tools such as spectroscopy and chromatography supports this transparency by ensuring authenticity and safety. The result is a value chain where chemical knowledge translates into market value and public confidence, bridging scientific precision with consumer demand for “clean label” and sustainable foods [24].

Finally, this integrated framework emphasizes the need for systems thinking in food innovation. Isolating chemistry from technology or technology from sustainability leads to partial solutions that cannot endure in complex, resource-constrained environments. A truly sustainable fortification model requires feedback loops where chemical data inform technological adjustments, and environmental metrics guide process refinement. This circular feedback aligns scientific design with ecological logic, turning food production into a living, adaptive system [25].

In summary, the discussion highlights that integrating food chemistry and technology is not merely an academic exercise, it is an operational necessity for building future-ready food systems. By grounding innovation in chemical science and sustainability principles, the food industry can move beyond incremental improvements toward transformative solutions that deliver nutritional equity, environmental integrity, and technological resilience.

5. Conclusion

This study demonstrates that the future of sustainable food innovation lies in the integration of food chemistry, processing technology, and environmental responsibility. Through a synthesis of published literature, it becomes evident that the success of fortification and functional food development depends not only on the type of nutrient or process used but on the molecular precision with which these elements are managed. Chemical mechanisms such as oxidation control, enzymatic modification, and encapsulation form the molecular foundation that ensure nutrient stability and bioavailability. When these mechanisms are strategically combined with advanced processing technologies such as microencapsulation, fermentation, and extrusion, they produce food products that are both nutritionally superior and functionally robust.

The application of green chemistry principles reinforces this integration by aligning technological progress with sustainability goals. Environmentally responsible processing methods, including solvent substitution, energy-efficient heating, and waste valorization, illustrate that chemical and technological innovation can operate synergistically rather than competitively. In this context, sustainability is not an external constraint but an internal design logic guiding every stage of food production.

The conceptual framework developed in this study, the Chemistry Technology Sustainability Nexus, offers a structural perspective on how modern food systems can evolve toward resilience. By maintaining balance between chemical control, technological intervention, and ecological awareness, the food industry can create products that enhance human health while minimizing environmental impact.

In practical terms, this integration calls for collaboration across disciplines: chemists, food technologists, and sustainability experts must co-design processes that preserve nutrient integrity, reduce waste, and promote energy efficiency. Policymakers and educators also play crucial roles in supporting this transition through standards, incentives, and curriculum reforms that emphasize interdisciplinary competence.

In conclusion, the integration of food chemistry and technology represents a transformative pathway toward sustainable fortification and functional food design. It bridges molecular science with societal goals, turning food processing into an active agent of nutrition, health, and ecological balance. Through this approach, food innovation can move beyond efficiency and convenience to



embody a deeper purpose feeding the planet responsibly, nutritiously, and sustainably.

References

- [1] D. Naviglio and M. Gallo, "Application of Analytical Chemistry to Foods and Food Technology," *Foods*, vol. 9, p., 2020, doi: 10.3390/foods9091296.
- [2] S. Sowmya, "Use of Analytical Chemistry in Foods and Food Technology," *Journal of environmental analytical chemistry*, vol. 8, p. 1, 2021, doi: 10.37421/2380-2391.2021.8.306.
- [3] C. Hernández-Hernández, F. Alonso-Montemayor, J. Ascacio-Valdés, J. Sandoval-Cortés, C. Aguilar, and A. Haghi, "Physical Chemistry on Food Science and Technology," pp. 1–38, 2020, doi: 10.1201/9781003020004-1.
- [4] M. Pateiro *et al.*, "Nanoencapsulation of Promising Bioactive Compounds to Improve Their Absorption, Stability, Functionality and the Appearance of the Final Food Products," *Molecules*, vol. 26, p., 2021, doi: 10.3390/molecules26061547.
- [5] C. Birch and G. Bonwick, "Ensuring the future of functional foods," *Int J Food Sci Technol*, p., 2019, doi: 10.1111/ijfs.14060.
- [6] M. Calderón-Oliver and E. Ponce-Alquicira, "The Role of Microencapsulation in Food Application," *Molecules*, vol. 27, p., 2022, doi: 10.3390/molecules27051499.
- [7] N. Choudhury, M. Meghwal, and K. Das, "Microencapsulation: An overview on concepts, methods, properties and applications in foods," *Food Front*, p., 2021, doi: 10.1002/fft2.94.
- [8] G. Mattar, A. Haddarah, J. Haddad, M. Pujolà, and F. Sepulcre, "New approaches, bioavailability and the use of chelates as a promising method for food fortification.," *Food Chem*, vol. 373 Pt A, p. 131394, 2021, doi: 10.1016/j.foodchem.2021.131394.
- [9] O. Gupta *et al.*, "A multifaceted analysis: Unveiling the complexities of wheat genotypes, fortification, and processing on iron and zinc bioavailability in whole wheat flour and chapati.," *Food Chem*, vol. 473, p. 142907, 2025, doi: 10.1016/j.foodchem.2025.142907.
- [10] K. Shubham, T. Anukiruthika, S. Dutta, A. Kashyap, J. Moses, and C. Anandharamakrishnan, "Iron deficiency anemia: A comprehensive review on iron absorption, bioavailability and emerging food fortification approaches," *Trends Food Sci Technol*, p., 2020, doi: 10.1016/j.tifs.2020.02.021.
- [11] R. Blanco-Rojo and M. Vaquero, "Iron bioavailability from food fortification to precision nutrition. A review," *Innovative Food Science & Emerging Technologies*, p., 2019, doi: 10.1016/j.ifset.2018.04.015.
- [12] M. Kharbach, A. Mansouri, M. Taabouz, and H. Yu, "Current Application of Advancing Spectroscopy Techniques in Food Analysis: Data Handling with Chemometric Approaches," *Foods*, vol. 12, p., 2023, doi: 10.3390/foods12142753.
- [13] Y. Sun, H. Tang, X. Zou, G. Meng, and N. Wu, "Raman Spectroscopy for Food Quality Assurance and Safety Monitoring: A Review," *Curr Opin Food Sci*, p., 2022, doi: 10.1016/j.cofs.2022.100910.
- [14] N. Cowan, L. Ferrier, B. Spears, J. Drewer, D. Reay, and U. Skiba, "CEA Systems: the Means to Achieve Future Food Security and Environmental Sustainability?," vol. 6, p., 2022, doi: 10.3389/fsufs.2022.891256.
- [15] F. Shah and W. Wu, "Soil and Crop Management Strategies to Ensure Higher Crop Productivity within Sustainable Environments," *Sustainability*, p., 2019, doi: 10.3390/su11051485.
- [16] O. Adetola, J. Kruger, M. Ferruzzi, B. Hamaker, and J. Taylor, "Potential of moringa leaf and baobab fruit food-to-food fortification of wholegrain maize porridge to improve iron and zinc bioaccessibility," *Int J Food Sci Nutr*, vol. 73, pp. 15–27, 2021, doi: 10.1080/09637486.2021.1911962.
- [17] J. Kruger, J. Taylor, M. Ferruzzi, and H. Debelo, "What is food-to-food fortification? A working definition and framework for evaluation of efficiency and implementation of best practices.," *Compr Rev Food Sci Food Saf*, vol. 19 6, pp. 3618–3658, 2020, doi: 10.1111/1541-4337.12624.
- [18] M. Singla and N. Sit, "Application of ultrasound in combination with other technologies in



- food processing: A review," *Ultrason Sonochem*, vol. 73, p., 2021, doi: 10.1016/j.ultsonch.2021.105506.
- [19] J. Pérez-Andrés *et al.*, "Chemical Modifications of Lipids and Proteins by Nonthermal Food Processing Technologies," *J Agric Food Chem*, vol. 66 20, pp. 5041–5054, 2018, doi: 10.1021/acs.jafc.7b06055.
- [20] H. S. O. Darko, L. Ismaiel, B. Fanesi, D. Pacetti, and P. Lucci, "Current Trends in Food Processing By-Products as Sources of High Value-Added Compounds in Food Fortification," *Foods*, vol. 13, p., 2024, doi: 10.3390/foods13172658.
- [21] S. Oh, G. Cave, and C. Lu, "Vitamin B12 (Cobalamin) and Micronutrient Fortification in Food Crops Using Nanoparticle Technology," *Front Plant Sci*, vol. 12, p., 2021, doi: 10.3389/fpls.2021.668819.
- [22] C. Dima, E. Assadpour, S. Dima, and S. Jafari, "Bioactive-loaded nanocarriers for functional foods: from designing to bioavailability," *Curr Opin Food Sci*, vol. 33, pp. 21–29, 2020, doi: 10.1016/j.cofs.2019.11.006.
- [23] F. Artés–Hernández, N. Castillejo, L. Martínez-Zamora, and G. Martínez-Hernández, "Phytochemical Fortification in Fruit and Vegetable Beverages with Green Technologies," *Foods*, vol. 10, p., 2021, doi: 10.3390/foods10112534.
- [24] R. Saif, S. Kumar, P. Sahoo, S. Dahiya, S. Khade, and B. Behera, "Vitamin Fortification Techniques and Analyses in Staple Food: Strategic Method to Overcome Micronutrient Deficiencies," *Current Food Science and Technology Reports*, p., 2025, doi: 10.1007/s43555-025-00050-2.
- [25] P. Pandey and N. Minocha, "Nano-Fortifying the Future Plate: A Critical Review of Nanotechnology Applications in Food Enrichment," *Current Nutrition & Food Science*, p., 2024, doi: 10.2174/0115734013308306240616081605.

